

From: [Bury, Carolyn](#)
To: [Michael PINTO](#)
Subject: RE: Area 17 Monitoring
Date: Wednesday, December 11, 2013 9:42:42 AM

Thanks Mike. I'd like to talk over the proposed wells, get some more information on the aquifer, depth of napl, where the wells are screened, etc. Also, discuss the rationale for not sampling the wells in the NW corner of site. It would seem that decreasing concentrations in those wells might provide info on remedy effectiveness. Would you be available tomorrow morning or later today for a call?

Carolyn,

The 6 wells we propose to sample are indicated in red on the attached figure. They may need to be redeveloped before sampling. Let me know if these look okay and we will schedule the work for January. I will get you the work plan as soon as possible. Unfortunately I have to allow time for Union Carbide and Beazer to provide comments, so we not be able to get it to you until after the holidays. From our last discussion it was my understanding that you are okay with this as long as we can still sample in January.

Michael Pinto
RETIA USA LLC/Legacy Site Services LLC
468 Thomas Jones Way, Suite 150
Exton, PA 19341
Office: 610 594-4435
Fax: 610 594-4439
[Retia-USA-Logo.jpg]
[LLS LOGO FINAL SM.jpg]

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could
contain a computer virus which could cause harm to EPA's computers,
network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced
into the EPA network. EPA is deleting all computer program attachments
sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you
should contact the sender and request that they rename the file name
extension and resend the Email with the renamed attachment. After
receiving the revised Email, containing the renamed attachment, you can
rename the file extension to its correct name.

For further information, please contact the EPA Call Center at
(866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

